

Traffic Regulations

Pipelife Enkhuizen, Flevolaan 7

1. Introduction

The purpose of these traffic regulations is to ensure the safety of all employees, suppliers, contractors, visitors, and other third parties who enter the premises. These regulations apply to all vehicles and road users on the premises of Pipelife Enkhuizen, Flevolaan 7, and aim to minimize the risk of accidents and incidents by providing clear guidelines for safe traffic behavior on site.

2. Scope

These regulations apply to the entire premises of Pipelife Enkhuizen at Flevolaan 7.

3. Behavior and Traffic Rules

Speed Limit	The maximum speed on site is 15 km/h . For internal vehicles, such as forklifts, the speed limit is also 15 km/h .	
Traffic Rules and Right of Way	Unless explicitly stated otherwise, general Dutch traffic rules apply on this site.	
Direction of Travel	Always follow the indicated directions of travel and use the designated lanes. Exceptions: - When a qualified Pipelife employee gives other instructions. - Shunting vehicles - Forklifts	(See Appendix 1 , site map)
Parking	Parking is only allowed in designated areas. Vehicles may not be parked in passageways, loading/unloading zones, or near emergency exits. <i>(Unless discussed with the plant manager or another authorized manager.)</i> Attention! Always reverse park so that the walkway is visible when exiting.	(See Appendix 1 , site map)
Pedestrians	Pedestrians must use the designated walkways. On pedestrian and zebra crossings, pedestrians always have the right of way! Cycling is not allowed on this site. <i>(Outside the walkways, pedestrians must always give way to all motorized traffic.)</i>	

4. Safety Regulations

Driving Competency	All drivers must hold a valid driver's license for the type of vehicle they operate. Forklift drivers must have a valid forklift certificate.	
Malfunctions/Defects	Drivers must immediately stop the vehicle in case of a malfunction or defect and report it to their supervisor and safety management.	
High-Visibility/Reflective Clothing	All vehicle operators must wear high-visibility clothing when exiting their vehicle. (This also applies to employees working on or around traffic routes.)	
PPEs*	Anyone outside the designated walkways marked with yellow lines must wear the required PPE. - High-visibility clothing - Safety shoes S3 - Gloves (if performing work*) - Hearing protection (if inside a production hall)	(See Appendix 2 , PPE)

*PPE = Personal Protective Equipment

*Work includes any actions taken outside the walkways or vehicle cabin.

5. Specific Vehicle Regulations

- **Company Vehicles:** All company vehicles (e.g., forklifts, vans) must adhere to the 15 km/h speed limit. Drivers must always watch for pedestrians and other vehicles.
- **Visitor Vehicles:** Visitors must park in designated spaces and register at the entrance. Visitors may not enter the site without escort or permission.
- **Forklifts:** Forklifts must drive with utmost caution, especially in pedestrian-heavy or uneven surface areas.
- **Staff Vehicles:** Pipelife employees must park in designated employee spaces. They may not drive onto the premises without escort or permission.
- **Freight Traffic:** Trucks may only enter the site via the designated route and must strictly follow the loading and unloading instructions from the responsible Pipelife staff. Trucks must allow space for other vehicles when possible.
- **Cyclists:** Entry with bicycles is prohibited. Cyclists must use the bicycle shed located between the railway and Pipelife.

6. Emergencies and Incidents

- **Accidents:** In the event of an accident or incident, help must be provided immediately. Always consider your own safety first. Alert an on-site emergency response officer (BHV). In life-threatening situations, also alert emergency services. After providing help, inform safety and other involved management using the matrix in the emergency plan. Traffic must be rerouted to allow emergency services access, with BHV assistance. (See **Appendix 3, BHV Card**)
- **Clearing Routes:** Vehicles must be moved in case of an accident to clear paths for evacuation and emergency access. Always prioritize personal safety!
- **Evacuation:** In case of evacuation, follow indicated escape routes or instructions from authorized Pipelife staff (BHV personnel). Go directly to the designated assembly point!

7. Enforcement and Supervision


- **Addressing Issues:** Everyone is encouraged to remind each other about traffic rules and safety protocols. It's about the safety of you and your colleagues.
- **Monitoring:** Compliance is monitored by the SHE department. During inspections and safety rounds, adherence to traffic rules is checked. SHE has good oversight of the site to facilitate monitoring.
- **Sanctions:** Violations of these traffic regulations may result in warnings, removal from the premises, or other disciplinary measures depending on the severity.

8. Communication

- **Information:** These regulations are clearly communicated to all employees, contractors, suppliers, and visitors. A copy is sent to all third parties entering the premises.


Epilogue: These traffic regulations are evaluated quarterly and updated to meet current safety requirements and legislation. All employees, visitors, contractors, and suppliers are expected to follow these rules. In doing so, we collectively ensure a safe and pleasant working environment for everyone on-site.

Appendix 1: Site map with driving routes and parking locations.



Appendix 2: PPE

Reflective clothing/vests



Hearing protection



Safety shoe S3



Klasse	Kenmerken
SB	Basisveiligheid: Stalen of composiet neus (200 Joule impactbestendig)
S1	SB + Antistatische eigenschappen, energieabsorptie in de hak, gesloten hiel
S1P	S1 + Penetratiebestendige tussenzool (bescherming tegen scherpe objecten)
S2	S1 + Waterafstotend bovenmateriaal (geen volledige waterdichtheid)
S3	S2 + Penetratiebestendige tussenzool + Geprofileerde antislipzool
S4	SB + Volledig waterdicht en waterbestendig (meestal gemaakt van PU of rubber)
S5	S4 + Penetratiebestendige tussenzool + Geprofileerde antislipzool

Safety gloves 313 D



DUURZAAMHEID **VINGERVAARDIGHEID**

 EN 420:2003  CE-categorie
Categorie 2  EN 388:2016
4X42D

 EN 407:2004
X1XXXX

 Snijbescherming niveau D (ISO 13997)

Appendix 3: BHV Emergency Card (See next page)

WHAT TO DO IN CASE OF... ...INCIDENTS (ACCIDENT, SMALL FIRE)



CALL A BHV RESPONDER AND ALWAYS STATE:
 - WHO YOU ARE
 - WHAT HAPPENED
 - WHERE IT HAPPENED

Central BHV emergency number:

+319 70 10 25 73 35

(Back-up) Team Leader:

06-10985250

...GEEN REACTIE BHV-ER / ACUTE NOOD



CALL 112 AND ALWAYS STATE:
 - **WHO** YOU ARE
 - **WHAT** HAPPENED
 - **WHERE** IT HAPPENED



FIRE

- Stay calm
- Ensure your own safety
- Warn colleagues
- If possible:
 - Shut down equipment and secure materials
 - Close doors, windows, and cabinets
- Leave the building via a safe route if necessary
- Do not use elevators



ACCIDENT

- Stay calm
- Reassure the victim
- Stay with the victim
- Follow BHV instructions



EVACUATION ALARM:

- Stay calm
- If possible: shut down equipment and secure materials
- Close doors, windows, and cabinets
- Leave the building via a safe route
- Do not use elevators
- Follow BHV instructions
- Go to the assembly point:

**Opslagterrein Pipelife
 of
 parkeerterrein Renolit**

